

2014	運動	Hobara H, Inoue K, Kobayashi Y, Ogata T.	A comparison of computation methods for leg stiffness during hopping.	J Appl Biomech. 2014 Feb;31(1):154-9.	http://www.ncbi.nlm.nih.gov/pubmed/23677875
2014	運動	Ogawa T, Kawashima N, Ogata T, Nakazawa K.	Predictive control of ankle stiffness at heel contact is a key element of locomotor adaptation during split-belt treadmill walking in humans.	J Neurophysiol. 2014 Feb;111(4):722-32.	http://www.ncbi.nlm.nih.gov/pubmed/24225544
2014	開発	Suzurikawa J, Nakao M, Jimbo Y, Kanazaki R, Takahashi H.	A light addressable electrode with a TiO ₂ nanocrystalline film for localized electrical stimulation of cultured neurons.	Sensors and Actuators B: Chemical, 192, pp.393-398, 2014.	http://www.sciencedirect.com/science/article/pii/S0925400513013415
2013	運動	Chikuda H, Ohtsu H, Ogata T, Sugita S, Sumitani M, Koyama Y, Matsumoto M, Toyama Y; OSCIS investigators.	Optimal treatment for spinal cord injury associated with cervical canal stenosis (OSCIS): a study protocol for a randomized controlled trial comparing early versus delayed surgery.	Trials. 2013 Aug 7;14:245.	http://www.ncbi.nlm.nih.gov/pubmed/23924165
2013	運動	Hobara H, Baum BS, Kwon HJ, Miller RH, Ogata T, Kim YH, Shim JK.	Amputee locomotion: spring-like leg behavior and stiffness regulation using running-specific prostheses.	J Biomech. 2013 Sep 27;46(14):2483-9.	http://www.ncbi.nlm.nih.gov/pubmed/23953671
2013	運動	Hobara H, Kobayashi Y, Nakamura T, Yamasaki N, Ogata T.	Foot clearance strategy for step-over-step stair climbing in transfemoral amputees.	Prosthet Orthot Int. 2013 Aug 28. [Epub ahead of print]	http://www.ncbi.nlm.nih.gov/pubmed/23986470
2013	運動	Kawashima N, Mita T, Yoshikawa M.	Inter-individual difference in the effect of mirror reflection-induced visual feedback on phantom limb awareness in forearm.	PLoS One. 2013 Jul 25;8(7):e69324.	http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0069324
2013	運動	Kawashima N, Popovic MR2, Zivanovic V.	Effect of intensive functional electrical stimulation therapy on upper-limb motor recovery after stroke: case study of a patient with chronic stroke.	Physiother Can. 2013 Winter;65(1):20-8.	http://www.ncbi.nlm.nih.gov/pubmed/24381377
2013	運動	Miyamoto Y, Torii T, Yamamori N, Ogata T, Tanoue A, Yamauchi J.	Akt and PP2A reciprocally regulate the guanine nucleotide exchange factor Dock6 to control axon growth of sensory neurons.	Sci Signal. 2013 Mar 5;6(265):ra15.	http://www.ncbi.nlm.nih.gov/pubmed/23462102
2013	運動	Uchida S, Itaka K, Uchida H, Hayakawa K, Ogata T, Ishii T, Fukushima S, Osada K, Kataoka K.	In vivo messenger RNA introduction into the central nervous system using polyplex nanomicelle.	PLoS One. 2013;8(2):e56220.	http://www.ncbi.nlm.nih.gov/pubmed/23418537
2013	運動	Uehara K, Akai M, Kubo T, Yamasaki N, Okuma Y, Tobimatsu Y, Iwaya T.	Soft-plastic brace for lower limb fractures in patients with spinal cord injury.	Spinal Cord. 2013 Apr;51(4):327-30.	http://www.ncbi.nlm.nih.gov/pubmed/23208540
2013	運動・義肢	Hobara H, Kobayashi Y, Tominaga S, Nakamura T, Yamasaki N, Ogata T.	Factors affecting stair-ascent patterns in unilateral transfemoral amputees.	Prosthet Orthot Int. 2013 Jun;37(3):222-6.	http://www.ncbi.nlm.nih.gov/pubmed/23108234
2013	開発	Inui S, Inoue T, Itami S.	Effect of hairpieces on perceived quality of life in female pattern hair loss patients: questionnaire based study.	J Dermatol. 2013 Aug;40(8):671.	http://www.ncbi.nlm.nih.gov/pubmed/23734854
2013	開発	Inui S, Inoue T, Itami S.	Effect of wigs on perceived quality of life level in androgenetic alopecia patients.	J Dermatol. 2013 Mar;40(3):223-5.	http://www.ncbi.nlm.nih.gov/pubmed/23216344
2013	開発	Inui S, Inoue T, Itami S.	Psychosocial impact of wigs or hairpieces on perceived quality of life level in female patients with alopecia areata.	J Dermatol. 2013 Mar;40(3):225-6.	http://www.ncbi.nlm.nih.gov/pubmed/23252418
2013	開発	Kume Y, Shimoda T, Ohta A, Tsukada S, Kawakami H, Nakamura M, Suzurikawa J, Inoue T.	Development of Transfer Assist Robot System Supporting Self-Reliant Life.	J. Robotics Mechatronics, 25, pp. 417-424, 2013.	http://www.fujipress.jp/finder/xslt.php?mode=present&inpufile=ROBOT002500020017.xml
2013	開発	Nakamura M, Kume Y, Suzurikawa J, Tsukada S, Kawakami H, Inoue K, Inoue T.	Development of Transfer Assist Robot Based on the User Needs.	Journal of Robotics and Mechatronics, Vol.25, pp. 992-999, 2013	http://www.fujipress.jp/finder/xslt.php?mode=present&inpufile=ROBOT002500060013.xml
2013	感覚	Jing Z, Rutherford MA, Takago H, Frank T, Fejtova A, Khimich D, Moser T, Strenzke N.	Disruption of the presynaptic cytomatrix protein bassoon degrades ribbon anchorage, multiquantal release, and sound encoding at the hair cell afferent synapse.	J Neurosci. 2013 Mar 6;33(10):4456-67.	http://www.ncbi.nlm.nih.gov/pubmed/23467361
2013	義肢	Nakashima, S. Suzuki, A. Ono, T. Nakamura.	Development of the Transfemoral Prosthesis for Swimming Focused on Ankle Joint Motion.	Journal of Biomechanical Science and Engineering, Vol. 8, No. 1 (2013), pp. 79-93.	http://ibse.org/archive/search.php?word=Takashi&page=0
2013	義肢	Yoshimoto K, Okuma Y, Nakamura T, Mita T, Mitsumoto A, Yamasaki N, Tobimatsu Y, Akai M.	Limb fitting for quadruple amputees: report of two cases of symmetrical peripheral gangrene caused by pneumococcal purpura fulminans.	Prosthet Orthot Int. 2013 Dec;37(6):489-94.	http://www.ncbi.nlm.nih.gov/pubmed/23558402
2013	工学	Kato, S.	Identification of Genuine Alternative Splicing Variants for Rare or Long-Sized Transcripts.	In: DiMaggio S. and Braschipp E. eds. New Developments in Alternative Splicing Research. New York, Nova Biomedical. 2013, p.89-108.	https://www.novapublishers.com/catalog/product_info.php?products_id=46700&osCsid=dc46fce0636ef2b6ef3dff11cc6e0854
2013	工学	Toyama, S., Utsumi, S., Nakamura, T., Noguchi, T., Yoshida, Y.	A Novel Thin Shear-Stress Sensor Using Electrolyte as a Conductive Element.	Sensor Letters, Volume 11, Number 2, February 2013 , pp. 442-445(4)	http://www.ingentaconnect.com/content/asp/senlet/2013/0000_0011/00000002/art00036
2013	脳機能	Makuuchi M, Friederici AD.	Hierarchical functional connectivity between the core language system and the working memory system.	Cortex. 2013 Oct;49(9):2416-23.	http://www.ncbi.nlm.nih.gov/pubmed/23480847
2013	脳機能	Ogura K, Fujii T, Abe N, Hosokai Y, Shinohara M, Fukuda H, Mori E.	Regional cerebral blood flow and abnormal eating behavior in Prader-Willi syndrome.	Brain Dev. 2013 May;35(5):427-34.	http://www.ncbi.nlm.nih.gov/pubmed/22921862
2013	脳機能	Ora H, Takano K, Kawase T, Iwaki S, Parkkonen L, Kansaku K.	Implementation of a beam forming technique in real-time magnetoencephalography.	J Integr Neurosci. 2013 Sep;12(3):331-41.	http://www.ncbi.nlm.nih.gov/pubmed/24070057
2013	脳機能	Sakaiya S, Shiraito Y, Kato J, Ide H, Okada K, Takano K, Kansaku K.	Neural correlate of human reciprocity in social interactions.	Front Neurosci. 2013 Dec 17;7:239.	http://www.ncbi.nlm.nih.gov/pubmed/24381534
2013	脳機能	Sakurada T, Kawase T, Takano K, Komatsu T, Kansaku K.	A BMI-based occupational therapy assist suit: asynchronous control by SSVEP.	Front Neurosci. 2013 Sep 23;7:172.	http://www.ncbi.nlm.nih.gov/pubmed/24068982
2013	脳機能	Takahashi T, Kansaku K, Wada M, Shibusawa S, Kitazawa S.	Neural correlates of tactile temporal-order judgment in humans: an fMRI study.	Cereb Cortex. 2013 Aug;23(8):1952-64.	http://www.ncbi.nlm.nih.gov/pubmed/22761307

2012	運動	Hayakawa K, Okazaki R, Ishii K, Ueno T, Izawa N, Tanaka Y, Toyooka S, Matsuoka N, Morioka K, Ohori Y, Nakamura K, Akai M, Tobimatsu Y	Phosphorylated neurofilament subunit NF-H as a biomarker for evaluating the severity of spinal cord injury patients, a pilot study.	Spinal Cord. 2012 Jul;50(7):493-6.	http://www.ncbi.nlm.nih.gov/pubmed/22270191
2012	運動	Hobara H, Kato E, Kobayashi Y, Ogata T.	Sex differences in relationships between passive ankle stiffness and leg stiffness during hopping.	J Biomech. 2012 Nov 15;45(16):2750-4.	http://www.ncbi.nlm.nih.gov/pubmed/23051683
2012	運動	Hobara H, Tominaga S, Umezawa S, Iwashita K, Okino A, Saito T, Usui F, Ogata T.	Leg stiffness and sprint ability in amputee sprinters.	Prosthet Orthot Int. 2012 Sep;36(3):312-7.	http://www.ncbi.nlm.nih.gov/pubmed/22918908
2012	運動	Kawashima N, Abe MO, Iwaya T, Haga N.	Abnormal capacity for grip force control in patients with congenital insensitivity to pain.	Exp Brain Res. 2012 May;218(4):579-88.	http://www.ncbi.nlm.nih.gov/pubmed/22418782
2012	運動	Miyatani, M., Masani, K., Kawashima, N., Craven, C., Thrasher, A., Popovic, MR.	Exercise Intensity during Treadmill Walking with Gait-Patterned FES among Patients with Incomplete Spinal Cord Injury: Case Series.	ISRN Rehabilitation Volume 2012, Article ID 251750, 6 pages.	http://www.hindawi.com/journals/isrn.rehabilitation/2012/251750/
2012	運動	Nagano Y, Naito K, Saho Y, Torii S, Ogata T, Nakazawa K, Akai M, Fukubayashi T	Association between in vivo knee kinematics during gait and the severity of knee osteoarthritis.	Knee. 2012 Oct;19(5):628-32.	http://www.ncbi.nlm.nih.gov/pubmed/22192889
2012	運動	Obata H, Kawashima N, Ohtsuki T, Nakazawa K.	Aging effects on posture-related modulation of stretch reflex excitability in the ankle muscles in humans.	J Electromyogr Kinesiol. 2012 Feb;22(1):31-6.	http://www.ncbi.nlm.nih.gov/pubmed/22118785
2012	運動	Ogawa T, Kawashima N, Ogata T, Nakazawa K.	Limited transfer of newly acquired movement patterns across walking and running in humans.	PLoS One. 2012;7(9):e46349.	http://www.ncbi.nlm.nih.gov/pubmed/23029490
2012	運動	Ogawa T, Kawashima N, Suzuki S, Nakazawa K.	Asymmetrical neural adaptation in lower leg muscles as a consequence of stereotypical motor training.	J Mot Behav. 2012;44(1):63-8.	http://www.ncbi.nlm.nih.gov/pubmed/22242727
2012	運動	Ogawa T, Kawashima N, Suzuki S, Nakazawa K.	Different modulation pattern of spinal stretch reflex excitability in highly trained endurance runners.	Eur J Appl Physiol. 2012 Oct;112(10):3641-8.	http://www.ncbi.nlm.nih.gov/pubmed/22350360
2012	運動	Seichi A, Hoshino Y, Doi T, Akai M, Tobimatsu Y, Iwaya T.	Development of a screening tool for risk of locomotive syndrome in the elderly: the 25-question Geriatric Locomotive Function	J Orthop Sci. 2012 Mar;17(2):163-72.	http://www.ncbi.nlm.nih.gov/pubmed/22222445
2012	運動	Ueno T, Ito J, Hoshikawa S, Ohori Y, Fujiwara S, Yamamoto S, Ohtsuka T, Kageyama R, Akai M, Nakamura K, Ogata T.	The identification of transcriptional targets of Ascl1 in oligodendrocyte development.	Glia. 2012 Oct;60(10):1495-505.	http://www.ncbi.nlm.nih.gov/pubmed/22714260
2012	開発	Inoue,T., Nihei,M., Narita,T., Onoda,M., Ishiwata,R., Mamiya,I., Shino,M., Kojima,H., Ohnaka,S., Fujita,Y., Kamata M	Field-based development of an information support robot for persons with dementia	Technology and Disability, 2012, Vol.24,No.4, pp.263-271.	http://iospress.metapress.com/content/k0n43284148880n7/
2012	開発	Kamimura T, Ishiwata R, Inoue T.	Medication reminder device for the elderly patients with mild cognitive impairment.	Am J Alzheimers Dis Other Demen. 2012 Jun;27(4):238-42.	http://www.ncbi.nlm.nih.gov/pubmed/22739031
2012	開発	Nakamura, M., Sakiyama, M., Suzurikawa, J., Tsukada, S., Ohta, A., Kume, Y., Kawakami, H., Inoue, K., Inoue, T.	Methodology for user and user's life centered clinical evaluation of assistive technology (ULCEAT): Evaluation with prototype Roboticbed®.	Technology and Disability, 2012, 24, pp.273-282.	http://iospress.metapress.com/content/31m377386t8400j/?issue=4&genre=article&spage=273&issn=1055-4181&volume=24
2012	開発	Suzurikawa, J., Kinoshita, T., Inoue, T., Kamo, M., Iida, N., Iwamoto, K., Matsumoto, O.	Evaluation of changes in power wheelchair maneuver induced by a downhill turning prevention control on cross sloped surfaces.	IEEJ Trans. Electr. Electron. Eng. 7(S1), 2012, S184-S186.	http://onlinelibrary.wiley.com/doi/10.1002/tee.21823/abstract
2012	開発	Suzurikawa, J., Nakao, M., Takahashi, H.	Surface Passivation of the Thin-Film LAPS with Perhydropolysilazane- Derived Silica Treated by O2 Plasma.	IEEJ Trans. Electr. Electron. Eng., 6, 2012, p. 392-393.	http://onlinelibrary.wiley.com/doi/10.1002/tee.20674/abstract
2012	開発	Takahashi H, Sakurai T, Sakai H, Bakkum DJ, Suzurikawa J, Kanzaki R.	Light-addressed single-neuron stimulation in dissociated neuronal cultures with sparse expression of ChR2.	Biosystems. 2012 Feb;107(2):106-12.	http://www.ncbi.nlm.nih.gov/pubmed/22019848
2012	感覚	Seko Y, Azuma N, Kaneda M, Nakatani K, Miyagawa Y, Noshiro Y, Kurokawa R, Okano H, Umezawa A.	Derivation of human differential photoreceptor-like cells from the iris by defined combinations of CRX, RX and NEUROD.	PLoS One. 2012;7(4):e35611.	http://www.ncbi.nlm.nih.gov/pubmed/22558175
2012	感覚	Yokoi T, Seko Y, Yokoi T, Makino H, Hatou S, Yamada M, Kiyono T, Umezawa A, Nishina H, Azuma N.	Establishment of functioning human corneal endothelial cell line with high growth potential.	PLoS One. 2012;7(1):e29677.	http://www.ncbi.nlm.nih.gov/pubmed/22276123
2012	工学	Iwanami M, Oshikawa M, Nishida T, Nakadomari S, Kato S.	High prevalence of mutations in the EYS gene in Japanese patients with autosomal recessive retinitis pigmentosa.	Invest Ophthalmol Vis Sci. 2012 Feb 27;53(2):1033-40.	http://www.ncbi.nlm.nih.gov/pubmed/22302105
2012	工学・脳機能	Toyama S, Takano K, Kansaku K.	A non-adhesive solid-gel electrode for a non-invasive brain-machine interface.	Front Neurol. 2012 Jul 18;3:114.	http://www.ncbi.nlm.nih.gov/pubmed/22826701
2012	脳機能	Ikegami S, Takano K, Wada M, Saeki N, Kansaku K.	Effect of the Green/Blue Flicker Matrix for P300-Based Brain-Computer Interface: An EEG-fMRI Study.	Front Neurol. 2012 Jul 11;3:113.	http://www.ncbi.nlm.nih.gov/pubmed/22798957
2012	脳機能	Wada M, Takano K, Ikegami S, Ora H, Spence C, Kansaku K.	Spatio-temporal updating in the left posterior parietal cortex.	PLoS One. 2012;7(6):e39800.	http://www.ncbi.nlm.nih.gov/pubmed/22768126
2012	福祉	Matsushige, T. Tsutsui, M Otaga.	'Mutual aid' beyond formal institutions: Integrated home care in Japan.	Current Sociology. 60(4). 2012, p.538-550.	http://csi.sagepub.com/content/60/4/538.abstract

2011	運動	Hobara H, Kobayashi Y, Nakamura T, Yamasaki N, Nakazawa K, Akai M, Ogata T.	Lower extremity joint kinematics of stair ascent in transfemoral amputees.	Prosthet Orthot Int. 2011 Dec;35(4):467-72.	http://www.ncbi.nlm.nih.gov/pubmed/22013154
2011	運動	Nagano Y, Ida H, Akai M, Fukubayashi T.	Effects of jump and balance training on knee kinematics and electromyography of female basketball athletes during a single limb drop landing: pre-post intervention study.	Sports Med Arthrosc Rehabil Ther Technol. 2011 Jul 14;3(1):14.	http://www.ncbi.nlm.nih.gov/pubmed/21752300
2011	運動	Nagano Y, Ida H, Akai M, Fukubayashi T.	Relationship between three-dimensional kinematics of knee and trunk motion during shuttle run cutting.	J Sports Sci. 2011 Nov;29(14):1525-34.	http://www.ncbi.nlm.nih.gov/pubmed/21988136
2011	運動	Nakajima T, Kitamura T, Kamibayashi K, Komiyama T, Zehr EP, Hundza SR, Nakazawa K.	Robotic-assisted stepping modulates monosynaptic reflexes in the ear muscles in the human.	J Neurophysiol. 2011 Oct;106(4):1679-87.	http://www.ncbi.nlm.nih.gov/pubmed/21775718
2011	感覚	Sato Y, Mori K, Koizumi T, Minagawa-Kawai Y, Tanaka A, Ozawa E, Wakaba Y, Mazuka R.	Functional lateralization of speech processing in adults and children who stutter.	Front Psychol. 2011;2:70.	http://www.ncbi.nlm.nih.gov/pubmed/21687442
2011	工学	Oshikawa M, Tsutsui C, Ikegami T, Fuchida Y, Matsubara M, Toyama S, Usami R, Ohtoku K, Kato S.	Full-length transcriptome analysis of human retina-derived cell lines ARPE-19 and Y79 using the vector-capping method.	Invest Ophthalmol Vis Sci. 2011 Aug 22;52(9):6662-70.	http://www.ncbi.nlm.nih.gov/pubmed/21697133
2011	脳機能	Ikegami S, Takano K, Saeki N, Kansaku K.	Operation of a P300-based brain-computer interface by individuals with cervical spinal cord injury.	Neurophysiol. 2011 May;122(5):991-6.	http://www.ncbi.nlm.nih.gov/pubmed/20880741
2011	脳機能	Ogura K, Fujii T, Abe N, Hosokai Y, Shinohara M, Takahashi S, Mori E.	Small gray matter volume in orbitofrontal cortex in Prader-Willi syndrome: a voxel-based MRI study.	Hum Brain Mapp. 2011 Jul;32(7):1059-66.	http://www.ncbi.nlm.nih.gov/pubmed/20669168
2011	脳機能	Sekiguchi H, Takeuchi S, Kadota H, Kohno Y, Nakajima Y.	TMS-induced artifacts on EEG can be reduced by rearrangement of the electrode's lead wire before recording.	Clin Neurophysiol. 2011 May;122(5):984-90.	http://www.ncbi.nlm.nih.gov/pubmed/20920887
2011	脳機能	Takano K, Hata N, Kansaku K.	Towards intelligent environments: an augmented reality-brain-machine interface operated with a see-through head-mount display.	Front Neurosci. 2011 Apr 20;5:60.	http://www.ncbi.nlm.nih.gov/pubmed/21541307
2010	運動	Kamibayashi K, Nakajima T, Fujita M, Takahashi M, Ogawa T, Akai M, Nakazawa K.	Effect of sensory inputs on the soleus H-reflex amplitude during robotic passive stepping in humans.	Exp Brain Res. 2010 Apr;202(2):385-95. Epub 2010 Jan 1	http://www.ncbi.nlm.nih.gov/pubmed/20044745
2010	運動	Obata H, Kawashima N, Akai M, Nakazawa K, Ohtsuki T.	Age-related changes of the stretch reflex excitability in human ankle muscles.	J Electromyogr Kinesiol. 2010 Feb;20(1):55-60.	http://www.ncbi.nlm.nih.gov/pubmed/19303324
2010	運動	Ogata H, Ogata T, Hoshikawa S, Uematsu A, Ogawa T, Saitou S, Kitamura T, Nakazawa K.	Unusual blood pressure response during standing therapy in tetraplegic man.	Clin Auton Res. 2010 Feb;20(1):47-50. Epub 2009 Oct 15.	http://www.ncbi.nlm.nih.gov/pubmed/19830510
2010	運動	Shimba S, Kawashima N, Ohta Y, Yamamoto S, Nakazawa K.	Enhanced stretch reflex excitability in the soleus muscle during passive standing posture in humans.	J Electromyogr Kinesiol. 2010 Jun;20(3):406-12. Epub 2009 May 7.	http://www.ncbi.nlm.nih.gov/pubmed/19427232
2010	開発	Ferguson-Pell M, Hirose H, Nicholson G, Call E.	Thermodynamic rigid cushion loading indenter: a buttock-shaped temperature and humidity measurement system for cushioning surfaces under anatomical compression conditions.	J Rehabil Res Dev. 2009;46(7):945-56.	http://www.ncbi.nlm.nih.gov/pubmed/20104417
2010	感覚	Kadota H, Nakajima Y, Miyazaki M, Sekiguchi H, Kohno Y, Amako M, Arino H, Nemoto K, Sakai N.	An fMRI study of musicians with focal dystonia during tapping tasks.	J Neurol. 2010 Jul;257(7):1092-8. Epub 2010 Feb 9.	http://www.ncbi.nlm.nih.gov/pubmed/20143109
2010	感覚	Kadota H, Sekiguchi H, Takeuchi S, Miyazaki M, Kohno Y, Nakajima Y.	The role of the dorsolateral prefrontal cortex in the inhibition of stereotyped responses.	Exp Brain Res. 2010 Jun;203(3):593-600. Epub 2010 May 8.	http://www.ncbi.nlm.nih.gov/pubmed/20454786
2010	感覚	Wada M, Watanabe S, Chung UI, Higo N, Taniguchi T, Kitazawa S.	Noninvasive bioluminescence imaging of c-fos expression in the mouse barrel cortex.	Behav Brain Res. 2010 Mar 17;208(1):158-62. Epub 2009 Nov 30.	http://www.ncbi.nlm.nih.gov/pubmed/19931567
2010	感覚・工学	Kansaku K, Hata N, Takano K.	My thoughts through a robot's eyes: an augmented reality-brain-machine interface.	Neurosci Res. 2010 Feb;66(2):219-22. Epub 2009 Oct 22.	http://www.ncbi.nlm.nih.gov/pubmed/19853630
2009	運動	Kamibayashi K, Nakajima T, Takahashi M, Akai M, Nakazawa K.	Facilitation of corticospinal excitability in the tibialis anterior muscle during robot-assisted passive stepping in humans.	Eur J Neurosci. 2009 Jul;30(1):100-9. Epub 2009 Jun 11	http://www.ncbi.nlm.nih.gov/pubmed/19523098
2009	運動	Kamibayashi K, Nakazawa K, Ogata H, Obata H, Akai M, Shinohara M.	Invariable H-reflex and sustained facilitation of stretch reflex with heightened sympathetic outflow.	J Electromyogr Kinesiol. 2009 Dec;19(6):1053-60. Epub 2008 Dec 19.	http://www.ncbi.nlm.nih.gov/pubmed/19101166
2009	運動	Kobayashi Y, Fujimoto H, Nakazawa K, Akai M.	Foot position tends to be sensed as more medial than the actual foot position.	J Mot Behav. 2009 Oct;41(5):437-43	http://www.ncbi.nlm.nih.gov/pubmed/19460750
2009	運動	Masani K, Sin VW, Vette AH, Thrasher TA, Kawashima N, Morris A, Preuss R, Popovic MR.	Postural reactions of the trunk muscles to multi-directional perturbations in sitting.	Clin Biomech (Bristol, Avon). 2009 Feb;24(2):176-82. Epub 2009 Jan 18.	http://www.ncbi.nlm.nih.gov/pubmed/19150744
2009	運動	Nagano Y, Ida H, Akai M, Fukubayashi T.	Biomechanical characteristics of the knee joint in female athletes during tasks associated with anterior cruciate ligament injury.	Knee. 2009 Mar;16(2):153-8. Epub 2008 Dec 25.	http://www.ncbi.nlm.nih.gov/pubmed/19110433
2009	運動	Nakajima K, Kakihana W, Nakagawa T, Mitomi H, Hikita A, Suzuki R, Akai M, Iwava T, Nakamura K, Fukui N.	Addition of an arch support improves the biomechanical effect of a laterally wedged insole.	Gait Posture. 2009 Feb;29(2):208-13. Epub 2008 Sep 27.	http://www.ncbi.nlm.nih.gov/pubmed/18824355
2009	運動	Nakajima T, Sakamoto M, Tazoe T, Endoh T, Komiyama T.	Location-specific modulations of plantar cutaneous reflexes in human (peroneus longus muscle) are dependent on co-activation of ankle muscles.	Exp Brain Res. 2009 May;195(3):403-12. Epub 2009 Apr 26.	http://www.ncbi.nlm.nih.gov/pubmed/19396593

2009	運動	Obata H, Sekiguchi H, Nakazawa K, Ohtsuki T.	Enhanced excitability of the corticospinal pathway of the ankle extensor and flexor muscles during standing in humans.	Exp Brain Res. 2009 Aug;197(3):207-13. Epub 2009 Jul 15.	http://www.ncbi.nlm.nih.gov/pubmed/19603153
2009	運動	Ogata H, Higuchi Y, Ogata T, Hoshikawa S, Akai M, Nakazawa K	Pressor response to passive walking-like exercise in spinal cord-injured humans.	Clin Auton Res. 2009 Apr;19(2):113-22. Epub 2008 Dec 19.	http://www.ncbi.nlm.nih.gov/pubmed/19101752
2009	運動	Ogata H, Nakahara M, Sato T, Hoshikawa S, Ogata T, Nakazawa K.	Hyperventilation during orthostatic challenge in spinal cord-injured humans.	Clin Auton Res. 2009 Dec;19(6):327-34. Epub 2009 Aug 12.	http://www.ncbi.nlm.nih.gov/pubmed/19672674
2009	運動	Ogata H, Ogata T, Hoshikawa S, Ogawa T, Uematsu A, Saitou S, Kitamura T, Nakazawa K.	Hypoventilation during passive leg movement in spinal cord-injured humans.	Clin Auton Res. 2010 Apr;20(2):101-3. Epub 2009 Nov 19.	http://www.ncbi.nlm.nih.gov/pubmed/19924465
2009	運動	Ogawa T, Kim GH, Sekiguchi H, Akai M, Suzuki S, Nakazawa K.	Enhanced stretch reflex excitability of the soleus muscle in experienced swimmers.	Eur J Appl Physiol. 2009 Jan;105(2):199-205. Epub 2008 Oct 17.	http://www.ncbi.nlm.nih.gov/pubmed/18925414
2009	運動	Sayenko DG, Vette AH, Obata H, Alekhina MI, Akai M, Nakazawa K.	Differential effects of plantar cutaneous afferent excitation on soleus stretch and H-reflex.	Muscle Nerve. 2009 Jun;39(6):761-9.	http://www.ncbi.nlm.nih.gov/pubmed/19260052
2009	運動・義肢	Kawashima N, Mita T.	Metal bar prevents phantom limb motion: case study of an amputation patient who showed a profound change in the awareness of his phantom limb.	Neurocase. 2009 Dec;15(6):478-84. Epub 2009 Jul 6.	http://www.ncbi.nlm.nih.gov/pubmed/19585348
2009	開発	Nakao T, Takezawa T, Shiraishi M, Miyatani M.	Activation of self-knowledge reduces conflict during occupational choice: an ERP study.	Int J Neurosci. 2009;119(10):1640-54.	http://www.ncbi.nlm.nih.gov/pubmed/19922379
2009	開発	TAKASHI NAKAO, MAKOTO MIYATANI, MIZUKI NAKAO, TOMOHIRO TAKEZAWA, MASAHIRO MARUISHI, HIROYUKI MURANAKA, HIROFUMI DOJO	Does medial prefrontal cortex activity during self-knowledge reference reflect the uniqueness of self-knowledge?	Japanese Psychological Research Volume 51, Issue 2, pages 69-84, May 2009	http://onlinelibrary.wiley.com/doi/10.1111/j.1468-5884.2009.00390.x/abstract
2009	開発	Takashi NAKAO, Tomohiro TAKEZAWA, Makoto MIYATANI and	MEDIAL PREFRONTAL CORTEX AND COGNITIVE REGULATION	PSYCHOLOGIA Vol. 52 (2009) , No. 2 93-109	http://www.jstage ист.go.jp/article/psysoc/52/2/52_93/article
2009	感覚	Kadota H, Nakajima Y, Miyazaki M, Sekiguchi H, Kohno Y, Kansaku K.	Anterior prefrontal cortex activities during the inhibition of stereotyped responses in a neuropsychological rock-paper-scissors task.	Neurosci Lett. 2009 Mar 27;453(1):1-5. Epub 2009 Feb 10.	http://www.ncbi.nlm.nih.gov/pubmed/19429003
2009	感覚	Kato J, Ide H, Kabashima I, Kadota H, Takano K, Kansaku K.	Neural correlates of attitude change following positive and negative advertisements.	Front Behav Neurosci. 2009;3:6. Epub 2009 May 18.	http://www.ncbi.nlm.nih.gov/pubmed/19503749
2009	感覚	Naomi Sakai, Sayako Masuda, Takayuki Shimotomai and Koichi Mori	Brain activation in adults who stutter under delayed auditory feedback: An fMRI study	International Journal of Speech-Language Pathology 2009, Vol. 11, No. 1 : Pages 2-11	http://informahealthcare.com/doi/abs/10.1080/17549500802588161
2009	感覚	Takano K, Komatsu T, Hata N, Nakajima Y, Kansaku K.	Visual stimuli for the P300 brain-computer interface: a comparison of white/gray and green/blue flicker matrices.	Clin Neurophysiol. 2009 Aug;120(8):1562-6. Epub 2009 Jun 27.	http://www.ncbi.nlm.nih.gov/pubmed/19560965
2009	工学	Oshikawa M, Usami R, Kato S.	Characterization of the arylsulfatase I (ARSI) gene preferentially expressed in the human retinal pigment epithelium cell line ARPE-19.	Mol Vis. 2009;15:482-94. Epub 2009 Mar 6.	http://www.ncbi.nlm.nih.gov/pubmed/19262745
2009	工学	Yuji Otodaa; Hiroshi Kimurab; Kunikatsu Takasea	Construction of gait adaptation model in human splitbelt treadmill walking	Applied Bionics and Biomechanics, 1754-2103, Volume 6, Issue 3, 2009, Pages 269 – 284	http://www.informaworld.com/smpp/content~content=a917137501~db=all~jumptype=rss
2008	運動	Doi T, Akai M, Fujino K, Iwaya T, Kurosawa H, Hayashi K, Marui E.	Effect of home exercise of quadriceps on knee osteoarthritis compared with nonsteroidal antiinflammatory drugs: a randomized controlled trial.	Am J Phys Med Rehabil. 2008 Apr;87(4):258-69.	http://www.ncbi.nlm.nih.gov/pubmed/18356618
2008	運動	Hoshikawa S, Ogata T, Fujiwara S, Nakamura K, Tanaka S.	A novel function of RING finger protein 10 in transcriptional regulation of the myelin-associated glycoprotein gene and myelin formation in Schwann cells.	PLoS One. 2008;3(10):e3464. Epub 2008 Oct 21.	http://www.ncbi.nlm.nih.gov/pubmed/18941509
2008	運動	Jigjid E, Kawashima N, Ogata H, Nakazawa K, Akai M, Eto F, Haga N.	Effects of passive leg movement on the oxygenation level of lower limb muscle in chronic stroke patients.	Neurorehabil Neural Repair. 2008 Jan-Feb;22(1):40-9. Epub 2007 Jun 19.	http://www.ncbi.nlm.nih.gov/pubmed/17578936
2008	運動	Kawashima N, Nakazawa K, Akai M.	Characteristics of the locomotor-like muscle activity during orthotic gait in paraplegic persons.	Neurol Res. 2008 Feb;30(1):36-45.	http://www.ncbi.nlm.nih.gov/pubmed/17915046
2008	運動	Kawashima N, Nozaki D, Abe MO, Nakazawa K.	Shaping appropriate locomotive motor output through interlimb neural pathway within spinal cord in humans.	J Neurophysiol. 2008 Jun;99(6):2946-55.	http://www.ncbi.nlm.nih.gov/pubmed/18450579
2008	運動	Miyoshi T, Hiramatsu K, Yamamoto S, Nakazawa K, Akai M.	Robotic gait trainer in water: development of an underwater gait-training orthosis.	Disabil Rehabil. 2008;30(2):81-7.	http://www.ncbi.nlm.nih.gov/pubmed/17852216
2008	運動	Nagano Y, Sakagami M, Ida H, Akai M, Fukubayashi T.	Statistical modelling of knee valgus during a continuous jump test.	Sports Biomech. 2008 Sep;7(3):342-50	http://www.ncbi.nlm.nih.gov/pubmed/18972883
2008	運動	Nakajima T, Kamibayashi K, Takahashi M, Komiyama T, Akai M, Nakazawa K.	Load-related modulation of cutaneous reflexes in the tibialis anterior muscle during passive walking in humans.	Eur J Neurosci. 2008 Mar;27(6):1566-76.	http://www.ncbi.nlm.nih.gov/pubmed/18364029
2008	運動	Nakajima T, Kamibayashi K, Takahashi M, Komiyama T, Nakazawa K.	Phase-dependent modulation of cutaneous reflexes in tibialis anterior muscle during passive stepping.	Neurol Res. 2008 Feb;30(1):46-51.	http://www.ncbi.nlm.nih.gov/pubmed/18387261
2008	運動	Nakazawa K, Kawashima N, Akai M.	Effect of different preparatory states on the reflex responses of ankle flexor and extensor muscles to a sudden drop of support surface during standing in humans.	J Electromyogr Kinesiol. 2009 Oct;19(5):782-8.	http://www.ncbi.nlm.nih.gov/pubmed/18304836
2008	運動	Ogata H, Akai M, Nakazawa K.	Metaboreceptor-mediated muscle oxygen saturation during recovery following isometric handgrip exercise.	J Physiol Anthropol. 2008 Mar;27(2):83-91.	http://www.ncbi.nlm.nih.gov/pubmed/18379165
2008	運動	Takahashi M, Kamibayashi K, Nakajima T, Akai M, Nakazawa K.	Changes in corticospinal excitability during observation of walking in humans.	Neuroreport. 2008 May 7;19(7):727-31.	http://www.ncbi.nlm.nih.gov/pubmed/18418247

2008	運動	Uchiyama T, Ishigame S, Niitsuma J, Aikawa Y, Ohta Y.	Multi-frequency bioelectrical impedance analysis of skin rubor with two-electrode technique.	J Tissue Viability. 2008 Nov;17(4):110-4.	http://www.ncbi.nlm.nih.gov/pubmed/18374573
2008	運動	Yu E, Abe M, Masani K, Kawashima N, Eto F, Haga N, Nakazawa K.	Evaluation of postural control in quiet standing using center of mass acceleration: comparison among the young, the elderly, and people with stroke.	Arch Phys Med Rehabil. 2008 Jun;89(6):1133-9.	http://www.ncbi.nlm.nih.gov/pubmed/18503811
2008	開発	Misato Nihei ¹ , Takenobu Inoue ² , and Masakatsu G. Fujie ¹ .	Psychological Influence of Wheelchairs on the Elderly Persons from Qualitative Research of Daily Living	Journal of Robotics and Mechatronics, Vol.20, No.4 pp. 641-649, 2008	http://www.fujipress.jp/finder/xslt.php?mode=present&inputfile=ROBOT002000040016.xml
2008	工学	Oshikawa M, Sugai Y, Usami R, Ohtoku K, Toyama S, Kato S.	Fine expression profiling of full-length transcripts using a size-unbiased cDNA library prepared with the vector-capping method.	DNA Res. 2008 Jun 30;15(3):123-36. Epub 2008 May 16.	http://www.ncbi.nlm.nih.gov/pubmed/18487259
2007	運動	Akai M, Usuba M, Sekiguchi H, Hong B, Iwashita K, Shirasaki Y.	A computer-controlled contracture correction device with low-load and continuous torque: an animal experiment and prototype design for clinical use.	Prosthet Orthot Int. 2007 Jun;31(2):121-32.	http://www.ncbi.nlm.nih.gov/pubmed/17520489
2007	運動	Kakihana W, Akai M, Nakazawa K, Naito K, Torii S.	Inconsistent knee varus moment reduction caused by a lateral wedge in knee osteoarthritis.	Am J Phys Med Rehabil. 2007 Jun;86(6):446-54.	http://www.ncbi.nlm.nih.gov/pubmed/17515683
2007	運動	Nagano Y, Ida H, Akai M, Fukubayashi T.	Gender differences in knee kinematics and muscle activity during single limb drop landing.	Knee. 2007 Jun;14(3):218-23. Epub 2007 Jan 9.	http://www.ncbi.nlm.nih.gov/pubmed/17215126
2007	運動	Ohta Y, Yano H, Suzuki R, Yoshida M, Kawashima N, Nakazawa K.	A two-degree-of-freedom motor-powered gait orthosis for spinal cord injury patients.	Proc Inst Mech Eng H. 2007 Aug;221(6):629-39.	http://www.ncbi.nlm.nih.gov/pubmed/17937202
2007	運動	Sayenko DG, Vette AH, Kamibayashi K, Nakajima T, Akai M, Nakazawa K.	Facilitation of the soleus stretch reflex induced by electrical excitation of plantar cutaneous afferents located around the heel.	Neurosci Lett. 2007 Mar 30;415(3):294-8. Epub 2007 Jan 21.	http://www.ncbi.nlm.nih.gov/pubmed/17276004
2007	運動	Shirado O, Doi T, Akai M, Fujino K, Hoshino Y, Iwaya T.	An outcome measure for Japanese people with chronic low back pain: an introduction and validation study of Japan Low Back Pain Evaluation Questionnaire.	Spine (Phila Pa 1976). 2007 Dec 15;32(26):3052-9.	http://www.ncbi.nlm.nih.gov/pubmed/18091501
2007	運動	Usuba M, Akai M, Shirasaki Y, Miyakawa S.	Experimental joint contracture correction with low torque--long duration repeated stretching.	Clin Orthop Relat Res. 2007 Mar;456:70-8.	http://www.ncbi.nlm.nih.gov/pubmed/17224840
2007	運動・感覺	Sekiguchi H, Kohno Y, Hirano T, Akai M, Nakajima Y, Nakazawa K.	Modulation of corticospinal excitability during lengthening and shortening contractions in the first dorsal interosseous muscle of humans.	Exp Brain Res. 2007 Apr;178(3):374-84. Epub 2006 Oct 24.	http://www.ncbi.nlm.nih.gov/pubmed/17061090
2007	感覺	Kansaku K, Carver B, Johnson A, Matsuda K, Sadato N, Hallett M.	The role of the human ventral premotor cortex in counting successive stimuli.	Exp Brain Res. 2007 Apr;178(3):339-50. Epub 2006 Oct 19.	http://www.ncbi.nlm.nih.gov/pubmed/17051376
2007	感覺	Minagawa-Kawai Y, Mori K, Naoi N, Kojima S.	Neural attunement processes in infants during the acquisition of a language-specific phonemic contrast.	J Neurosci. 2007 Jan 10;27(2):315-21.	http://www.ncbi.nlm.nih.gov/pubmed/17215392
2007	工学	Ando Y, Ohmori M, Ohtake H, Ohtoku K, Toyama S, Usami R, Ohira A, Hata H, Yanashima K, Kato S.	Mutation screening and haplotype analysis of the rhodopsin gene locus in Japanese patients with retinitis pigmentosa	Mol Vis. 2007 Jun 29;13:1038-44	http://www.ncbi.nlm.nih.gov/pubmed/17653048
2006	運動	Higuchi Y, Kitamura S, Kawashima N, Nakazawa K, Iwaya T, Yamasaki M.	Cardiorespiratory responses during passive walking-like exercise in quadriplegics.	Spinal Cord. 2006 Aug;44(8):480-6. Epub 2005 Nov 29.	http://www.ncbi.nlm.nih.gov/pubmed/16317423
2006	運動	Kamibayashi K, Muro M.	Modulation of pre-programmed muscle activation and stretch reflex to changes of contact surface and visual input during movement to absorb impact.	J Electromyogr Kinesiol. 2006 Oct;16(5):432-9. Epub 2005 Nov 28.	http://www.ncbi.nlm.nih.gov/pubmed/16311043
2006	運動	Kawashima N, Taguchi D, Nakazawa K, Akai M.	Effect of lesion level on the orthotic gait performance in individuals with complete paraplegia.	Spinal Cord. 2006 Aug;44(8):487-94. Epub 2006 Mar 21.	http://www.ncbi.nlm.nih.gov/pubmed/16550216
2006	運動	Kawashima N, Yano H, Ohta Y, Nakazawa K.	Stretch reflex modulation during imposed static and dynamic hip movements in standing humans.	Exp Brain Res. 2006 Sep;174(2):342-50. Epub 2006 Jun 10.	http://www.ncbi.nlm.nih.gov/pubmed/16767396
2006	運動	Miyoshi T, Hotta K, Yamamoto S, Nakazawa K, Akai M.	Somatosensory graviception inhibits soleus H-reflex gain in humans during walking.	Exp Brain Res. 2006 Feb;169(1):135-8. Epub 2005 Dec 20.	http://www.ncbi.nlm.nih.gov/pubmed/16365752
2006	運動	Miyoshi T, Nakazawa K, Tanizaki M, Sato T, Akai M.	Altered activation pattern in synergistic ankle plantarflexor muscles in a reduced-gravity environment.	Gait Posture. 2006 Aug;24(1):94-9. Epub 2005 Sep 8.	http://www.ncbi.nlm.nih.gov/pubmed/16153846
2006	運動	Nakazawa K, Kawashima N, Akai M.	Enhanced stretch reflex excitability of the soleus muscle in persons with incomplete rather than complete chronic spinal cord	Arch Phys Med Rehabil. 2006 Jan;87(1):71-5.	http://www.ncbi.nlm.nih.gov/pubmed/16401441
2006	運動	Ohori Y, Yamamoto S, Nagao M, Sugimori M, Yamamoto N, Nakamura K, Nakafuku M.	Growth factor treatment and genetic manipulation stimulate neurogenesis and oligodendrogenesis by endogenous neural progenitors in the injured adult spinal cord.	J Neurosci. 2006 Nov 15;26(46):11948-60.	http://www.ncbi.nlm.nih.gov/pubmed/17108169
2006	運動	Takarada, Y., Nozaki, D., Taira, M.	Force overestimation during tourniquet-induced transient occlusion of the brachial artery and possible underlying neural	Neurosci Res. 2006 Jan;54(1):38-42. Epub 2005 Nov 14.	http://www.ncbi.nlm.nih.gov/pubmed/16290301
2006	開発	Hafid Niniss ¹ , Takenobu Inoue ¹	Assessment of driving skills using Virtual Reality: Comparative survey on experts and unskilled users of electric wheelchairs	Technology and Disability Volume 18, Number 4/2006 217-226	http://iospress.metapress.com/content/1q82n67tvrc2y700/
2006	感覺	Masaki H, Takeuchi S, Gehring WJ, Takasawa N, Yamazaki K.	Affective-motivational influences on feedback-related ERPs in a gambling task.	Brain Res. 2006 Aug 11;1105(1):110-21. Epub 2006 Feb 17.	http://www.ncbi.nlm.nih.gov/pubmed/16483556
2006	工学	Aoyama T, Kamata K, Yamanaka N, Takeuchi Y, Higashihara M, Kato S.	Characteristics of polyclonal anti-human nephrin antibodies induced by genetic immunization using nephrin cDNA	Nephrol Dial Transplant. 2006 Apr;21(4):1073-81. Epub 2006 Jan 23.	http://www.ncbi.nlm.nih.gov/pubmed/16431884
2006	工学	Kazuhiro AOKI, Seishi KATO, Shigeru TOYAMA	Nonspecific Detection of Proteins by the Use of Electrochemical SPR Sensor	Electrochemistry 74(2), 189-191, 2006-02-05	http://www.electrochem.jp/journal/2006_2a.html#p189
2006	工学	TOYAMA SHIGERU, AOKI KAZUHIKO, KATO SEISHI, USAMI RON	Fabrication of Electrodes for Chemical Sensors on Overhead-Transparency Film	Electrochemistry 74(2), 128-130, 2006-02-05	http://www.electrochem.jp/journal/2006_2a.html#p128

2005	運動	Akai M, Doi T, Fujino K, Iwaya T, Kurosawa H, Nasu T.	An outcome measure for Japanese people with knee osteoarthritis.	J Rheumatol. 2005 Aug;32(8):1524-32.	http://www.ncbi.nlm.nih.gov/pubmed/16078330
2005	運動	Kakihana W, Akai M, Nakazawa K, Takashima T, Naito K, Torii S.	Effects of laterally wedged insoles on knee and subtalar joint moments.	Arch Phys Med Rehabil. 2005 Jul;86(7):1465-71.	http://www.ncbi.nlm.nih.gov/pubmed/16003682
2005	運動	Kakihana W, Torii S, Akai M, Nakazawa K, Fukano M, Naito K.	Effect of a lateral wedge on joint moments during gait in subjects with recurrent ankle sprain.	Am J Phys Med Rehabil. 2005 Nov;84(11):858-64.	http://www.ncbi.nlm.nih.gov/pubmed/16244523
2005	運動	Kawashima N, Nakazawa K, Akai M.	Muscle oxygenation of the paralyzed lower limb in spinal cord-injured persons.	Med Sci Sports Exerc. 2005 Jun;37(6):915-21.	http://www.ncbi.nlm.nih.gov/pubmed/15947714
2005	運動	Kawashima N, Nozaki D, Abe MO, Akai M, Nakazawa K.	Alternate leg movement amplifies locomotor-like muscle activity in spinal cord injured persons.	J Neurophysiol. 2005 Feb;93(2):777-85. Epub 2004 Sep 22.	http://www.ncbi.nlm.nih.gov/pubmed/15385590
2005	運動	Miyoshi T, Shirota T, Yamamoto S, Nakazawa K, Akai M.	Functional roles of lower-limb joint moments while walking in water.	Clin Biomech (Bristol, Avon). 2005 Feb;20(2):194-201.	http://www.ncbi.nlm.nih.gov/pubmed/15621325
2005	運動	Nozaki D, Nakazawa K, Akai M.	Uncertainty of knee joint muscle activity during knee joint torque exertion: the significance of controlling adjacent joint torque.	J Appl Physiol. 2005 Sep;99(3):1093-103. Epub 2005 Apr 28.	http://www.ncbi.nlm.nih.gov/pubmed/15860683
2005	運動	Nozaki D, Nakazawa K, Akai M.	Muscle activity determined by cosine tuning with a nontrivial preferred direction during isometric force exertion by lower limb.	J Neurophysiol. 2005 May;93(5):2614-24. Epub 2005 Jan 12.	http://www.ncbi.nlm.nih.gov/pubmed/15647398
2005	開発	Hirose, H.	Development of clinical methods for measuring geometric alignment of the thoracic and lumbar spines of wheelchair-seated persons.	J Rehabil Res Dev. 2005 Jul-Aug;42(4):437-46.	http://www.ncbi.nlm.nih.gov/pubmed/16320140
2005	感覚	Kohno, Y., Nakajima, Y., Sekiguchi, H	A study of brain-evoked potential in 100 ms after transcranial magnetic stimulation	International Congress Series Volume 1278, March 2005, Pages 284-287	http://www.sciencedirect.com/science?ob=ArticleURL&udi=B7581-4FV97C8-2H&user=846766&coverDate=03%2F31%2F2005&rdoc=1&fmt=high&orig=search&origin=search&sort=d&docanchor=&view=c&searchStrId=1532943673&rerunOrigin=google&acct=C000045742&version=1&urlVersion=0&userid=846766&md5=f9e610112da8830f270e175db4e3588&searchtype=a
2005	感覚	Minagawa-Kawai Y, Mori K, Sato Y.	Different brain strategies underlie the categorical perception of foreign and native phonemes.	J Cogn Neurosci. 2005 Sep;17(9):1376-85.	http://www.ncbi.nlm.nih.gov/pubmed/16197691
2005	感覚	Nishitani N, Schürmann M, Amunts K, Hari R.	Broca's region: from action to language.	Physiology (Bethesda). 2005 Feb;20:60-9.	http://www.ncbi.nlm.nih.gov/pubmed/15653841
2005	感覚・運動	Miyazaki M, Nozaki D, Nakajima Y.	Testing Bayesian models of human coincidence timing.	J Neurophysiol. 2005 Jul;94(1):395-9. Epub 2005 Feb 16.	http://www.ncbi.nlm.nih.gov/pubmed/15716368
2005	工学	Kato S, Ohtoku K, Otake H, Kimura T.	Vector-capping: a simple method for preparing a high-quality full-length cDNA library.	DNA Res. 2005 Feb 28;12(1):53-62.	http://www.ncbi.nlm.nih.gov/pubmed/16106752
2005	工学	Kazuhiro Aoki, Hiroko Suzuki, Yoshihiro Ishimaru, Shigeru Toyama, Yoshihito Ikariyama and Takeaki Iida	Thermophilic glucokinase-based sensors for the detection of various saccharides and glycosides	Sensors and Actuators B: Chemical Volume 108, Issues 1-2, 22 July 2005, Pages 727-732	http://www.sciencedirect.com/science?ob=ArticleURL&udi=B6THH-4FDYXDX-6&user=846766&coverDate=07%2F22%2F2005&rdoc=1&fmt=high&orig=gateway&origin=gateway&sort=d&docanchor=&view=c&searchStrId=1662649684&rerunOrigin=google&acct=C000045742&version=1&urlVersion=0&userid=846766&md5=ec883404c49db75ba26a4c4b6fbfac0&searchtype=a
2005	工学	Shigeru Toyama, Kazuhito Aoki and Seishi Kato	SPR observation of adsorption and desorption of water-soluble polymers on an Au surface	Sensors and Actuators B: Chemical Volume 108, Issues 1-2, 22 July 2005, Pages 903-909	http://www.sciencedirect.com/science?ob=ArticleURL&udi=B6THH-4FTS12Y-4&user=846766&coverDate=07%2F22%2F2005&rdoc=1&fmt=high&orig=search&origin=search&sort=d&docanchor=&view=c&searchStrId=1474892400&rerunOrigin=scholar.google&acct=C00045742&version=1&urlVersion=0&userid=846766&md5=32c2a85da15a7be115db2101eb8b6d2&searchtype=a
2004	運動	Akai M, Liu M, Wu ZY, Guo T.	Rehabilitation research in China and Japan.	J Rehabil Med. 2004 Jul;36(4):145-52.	http://www.ncbi.nlm.nih.gov/pubmed/15370729
2004	運動	Kakihana W, Akai M, Yamasaki N, Takashima T, Nakazawa K.	Changes of joint moments in the gait of normal subjects wearing laterally wedged insoles.	Am J Phys Med Rehabil. 2004 Apr;83(4):273-8.	http://www.ncbi.nlm.nih.gov/pubmed/15024328
2004	運動	Kawashima N, Nakazawa K, Ishii N, Akai M, Yano H.	Potential impact of orthotic gait exercise on natural killer cell activities in thoracic level of spinal cord-injured patients.	Spinal Cord. 2004 Jul;42(7):420-4.	http://www.ncbi.nlm.nih.gov/pubmed/15124001
2004	運動	Kuramochi R, Kimura T, Nakazawa K, Akai M, Torii S, Suzuki S.	Anticipatory modulation of neck muscle reflex responses induced by mechanical perturbations of the human forehead.	Neurosci Lett. 2004 Aug 12;366(2):206-10.	http://www.ncbi.nlm.nih.gov/pubmed/15276248
2004	運動	Miyoshi T, Shirota T, Yamamoto S, Nakazawa K, Akai M.	Effect of the walking speed to the lower limb joint angular displacements, joint moments and ground reaction forces during walking in water.	Disabil Rehabil. 2004 Jun 17;26(12):724-32.	http://www.ncbi.nlm.nih.gov/pubmed/15204495
2004	運動	Nakazawa K, Kakihana W, Kawashima N, Akai M, Yano H.	Induction of locomotor-like EMG activity in paraplegic persons by orthotic gait training.	Exp Brain Res. 2004 Jul;157(1):117-23. Epub 2004 Feb 17.	http://www.ncbi.nlm.nih.gov/pubmed/14968281
2004	運動	Nakazawa K, Miyoshi T, Sekiguchi H, Nozaki D, Akai M, Yano H.	Effects of loading and unloading of lower limb joints on the soleus H-reflex in standing humans.	Clin Neurophysiol. 2004 Jun;115(6):1296-304.	http://www.ncbi.nlm.nih.gov/pubmed/15134696
2004	運動	Ogata T, Iijima S, Hoshikawa S, Miura T, Yamamoto S, Oda H, Nakamura K, Tanaka S.	Opposing extracellular signal-regulated kinase and Akt pathways control Schwann cell myelination.	J Neurosci. 2004 Jul 28;24(30):6724-32	http://www.ncbi.nlm.nih.gov/pubmed/15282275
2004	感覚	Kudo, K., Miyazaki, M., Kimura, T., Yamanaka, K., Kadota, H., Hirashima, M., Nakaiima, Y., Nakazawa, K..	Selective activation and deactivation of the human brain structures between speeded and precisely timed tapping responses to identical visual stimulus: an fMRI study.	Neuroimage. 2004 Jul;22(3):1291-301.	http://www.ncbi.nlm.nih.gov/pubmed/15219601

2004	感覚	Minagawa-Kawai Y, Mori K, Sato Y, Koizumi T.	Differential cortical responses in second language learners to different vowel contrasts.	Neuroreport. 2004 Apr 9;15(5):899-903.	http://www.ncbi.nlm.nih.gov/pubmed/15073539
2004	感覚	Miyazaki M, Nakajima Y, Kadota H, Chitose K, Ohtsuki T, Kudo K.	1/f-type fluctuation in human visuomotor transformation.	Neuroreport. 2004 May 19;15(7):1133-6.	http://www.ncbi.nlm.nih.gov/pubmed/15129160
2004	感覚	Mori K, Tanaka A, Koizumi T, Tauchi H.	Effects of prosody on phoneme recognition in cochlear implant patients.	Cochlear Implants Int. 2004 Sep;5 Suppl 1:107-9.	http://www.ncbi.nlm.nih.gov/pubmed/18792259
2004	感覚	Nishitani N, Avikainen S, Hari R.	Abnormal imitation-related cortical activation sequences in Asperger's syndrome.	Ann Neurol. 2004 Apr;55(4):558-62.	http://www.ncbi.nlm.nih.gov/pubmed/15048895
2004	工学	Otake H, Ohtoku K, Ishimaru Y, Kato S.	Determination of the capped site sequence of mRNA based on the detection of cap-dependent nucleotide addition using an anchor ligation method.	DNA Res. 2004 Aug 31;11(4):305-9.	http://www.ncbi.nlm.nih.gov/pubmed/15500255
2003	運動	Kawashima N, Nakazawa K, Yamamoto SI, Nozaki D, Akai M, Yano H.	Stretch reflex excitability of the anti-gravity ankle extensor muscle in elderly humans.	Acta Physiol Scand. 2004 Jan;180(1):99-105.	http://www.ncbi.nlm.nih.gov/pubmed/14706118
2003	運動	Kawashima N, Sekiguchi H, Miyoshi T, Nakazawa K, Akai M.	Inhibition of the human soleus Hoffman reflex during standing without descending commands.	Neurosci Lett. 2003 Jul 10;345(1):41-4.	http://www.ncbi.nlm.nih.gov/pubmed/12809984
2003	運動	Kawashima N, Sone Y, Nakazawa K, Akai M, Yano H.	Energy expenditure during walking with weight-bearing control (WBC) orthosis in thoracic level of paraplegic patients.	Spinal Cord. 2003 Sep;41(9):506-10.	http://www.ncbi.nlm.nih.gov/pubmed/12934091
2003	運動	Kimura T, Nozaki D, Nakazawa K, Akai M, Ohtsuki T.	Gradual increment/decrement of isometric force modulates soleus stretch reflex response in humans.	Neurosci Lett. 2003 Aug 14;347(1):25-8.	http://www.ncbi.nlm.nih.gov/pubmed/12865133
2003	運動	Kimura T, Yamanaka K, Nozaki D, Nakazawa K, Miyoshi T, Akai M, Ohtsuki T.	Hysteresis in corticospinal excitability during gradual muscle contraction and relaxation in humans.	Exp Brain Res. 2003 Sep;152(1):123-32. Epub 2003 Jul 17.	http://www.ncbi.nlm.nih.gov/pubmed/12879181
2003	運動	Kitajo K, Nozaki D, Ward LM, Yamamoto Y.	Behavioral stochastic resonance within the human brain.	Phys Rev Lett. 2003 May 30;90(21):218103. Epub 2003 May 30.	http://www.ncbi.nlm.nih.gov/pubmed/12786595
2003	運動	Masani K, Popovic MR, Nakazawa K, Kouzaki M, Nozaki D.	Importance of body sway velocity information in controlling ankle extensor activities during quiet stance.	J Neurophysiol. 2003 Dec;90(6):3774-82. Epub 2003 Aug 27.	http://www.ncbi.nlm.nih.gov/pubmed/12944529
2003	運動	Miyoshi T, Nozaki D, Sekiguchi H, Kimura T, Sato T, Komeda T, Nakazawa K, Yano H.	Somatosensory graviception inhibits soleus H-reflex during erect posture in humans as revealed by parabolic flight experiment.	Exp Brain Res. 2003 May;150(1):109-13. Epub 2003 Mar 13.	http://www.ncbi.nlm.nih.gov/pubmed/12698222
2003	運動	Miyoshi T, Shirota T, Yamamoto S, Nakazawa K, Akai M.	Lower limb joint moment during walking in water.	Disabil Rehabil. 2003 Nov 4;25(21):1219-23.	http://www.ncbi.nlm.nih.gov/pubmed/14578061
2003	運動	Nakazawa K, Kawashima N, Akai M, Yano H.	On the reflex coactivation of ankle flexor and extensor muscles induced by a sudden drop of support surface during walking in humans.	J Appl Physiol. 2004 Feb;96(2):604-11. Epub 2003 Oct 3.	http://www.ncbi.nlm.nih.gov/pubmed/14527965
2003	運動	Nakazawa K, Kawashima N, Obata H, Yamanaka K, Nozaki D, Akai M.	Facilitation of both stretch reflex and corticospinal pathways of the tibialis anterior muscle during standing in humans.	Neurosci Lett. 2003 Feb 20;338(1):53-6.	http://www.ncbi.nlm.nih.gov/pubmed/12565139
2003	運動	Niitsuma J, Yano H, Togawa T.	Experimental study of decubitus ulcer formation in the rabbit ear lobe.	J Rehabil Res Dev. 2003 Jan-Feb;40(1):67-73.	http://www.ncbi.nlm.nih.gov/pubmed/15150722
2003	運動	Nozaki D, Kawashima N, Aramaki Y, Akai M, Nakazawa K, Nakajima Y, Yano H.	Sustained muscle contractions maintained by autonomous neuronal activity within the human spinal cord.	J Neurophysiol. 2003 Oct;90(4):2090-7. Epub 2003 May 28.	http://www.ncbi.nlm.nih.gov/pubmed/12773494
2003	運動	Sekiguchi H, Nakazawa K, Akai M.	Recruitment gain of antagonistic motoneurons is higher during lengthening contraction than during shortening contraction in.	Neurosci Lett. 2003 May 15;342(1-2):69-72.	http://www.ncbi.nlm.nih.gov/pubmed/12727320
2003	運動	Sekiguchi H, Nakazawa K, Suzuki S.	Differences in recruitment properties of the corticospinal pathway between lengthening and shortening contractions in human soleus muscle.	Brain Res. 2003 Jul 11;977(2):169-79.	http://www.ncbi.nlm.nih.gov/pubmed/12834877
2003	運動	Soma R, Nozaki D, Kwak S, Yamamoto Y.	1/f noise outperforms white noise in sensitizing baroreflex function in the human brain.	Phys Rev Lett. 2003 Aug 15;91(7):078101. Epub 2003 Aug 11.	http://www.ncbi.nlm.nih.gov/pubmed/12935054
2003	感覚	Nishitani N	Dynamics of cognitive processing in the human hippocampus by neuromagnetic and neurochemical assessments.	Neuroimage. 2003 Sep;20(1):561-71	http://www.ncbi.nlm.nih.gov/pubmed/14527616
2003	工学	Kuwabara T, Noda T, Otake H, Otake T, Toyama S, Ikariyama Y.	Classification of DNA-binding mode of antitumor and antiviral agents by the electrochemiluminescence of ruthenium complex.	Anal Biochem. 2003 Mar 1;314(1):30-7.	http://www.ncbi.nlm.nih.gov/pubmed/12633599
2002	運動	Akai M, Kawashima N, Kimura T, Hayashi K.	Electrical stimulation as an adjunct to spinal fusion: a meta-analysis of controlled clinical trials.	Bioelectromagnetics. 2002 Oct;23(7):496-504.	http://www.ncbi.nlm.nih.gov/pubmed/12224053
2002	運動	Akai M.	Evidence-based medicine for orthopedic practice.	J Orthop Sci. 2002;7(6):731-42.	http://www.ncbi.nlm.nih.gov/pubmed/12486483
2002	運動	Hong B, Kuwaki T, Ju K, Kumada M, Akai M, Ueno S.	Changes in blood pressure and heart rate by repetitive transcranial magnetic stimulation in rats.	Neurosci Lett. 2002 Aug 23;329(1):57-60.	http://www.ncbi.nlm.nih.gov/pubmed/12161262
2002	運動	Minagawa-Kawai Y, Mori K, Furuya I, Hayashi R, Sato Y.	Assessing cerebral representations of short and long vowel categories by NIRS.	Neuroreport. 2002 Apr 16;13(5):581-4.	http://www.ncbi.nlm.nih.gov/pubmed/11973450
2002	運動	Miyazaki M, Yoritaka H, Sato T, Igawa S, Miyoshi T, Nakazawa K, Watanabe E.	Effect of the moderate exercise on performance in upper/lower limb during long term bed rest.	J Gravit Physiol. 2002 Jul;9(1):P147-8.	http://www.ncbi.nlm.nih.gov/pubmed/15002523
2002	運動	Miyoshi T, Nozaki D, Sekiguchi H, Kimura T, Sato T, Nakazawa K, Yano H.	Somatosensory graviception inhibits the soleus H-reflex in standing man - a parabolic flight experiment-.	J Gravit Physiol. 2002 Jul;9(1):P151-2.	http://www.ncbi.nlm.nih.gov/pubmed/15002525
2002	運動	Nakazawa K, Miyoshi T, Sekiguchi H, Nozaki D, Akai M, Yano H.	Somatosensory graviception inhibits the soleus H-reflex in standing man - an underwater experiment-.	J Gravit Physiol. 2002 Jul;9(1):P143-4.	http://www.ncbi.nlm.nih.gov/pubmed/15002521
2002	運動	Nishitani N, Hari R.	Viewing lip forms: cortical dynamics.	Neuron. 2002 Dec 19;36(6):1211-20.	http://www.ncbi.nlm.nih.gov/pubmed/12495633

2002	運動	Yamamoto Y, Hidaka I, Nozaki D, Iso-o N, Soma R, Kwak K	Noise-induced sensitization of human brain	Physica A: Statistical Mechanics and its Applications Volume 314, Issues 1-4, 1 November 2002, Pages 53-60	http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B6TVG-46871HY-T&_user=846766&_coverDate=11%2F01%2F2002&_rdoc=1&_fmt=high&_orig=gateway&_origin=gateway&_sort=d&_docanchor=&view=c&_searchStrId=1662725665&_rerunOrigin=google&_acct=C000045742&_version=1&_urlVersion=0&_userid=846766&md5=f3291c598b73608d05897ec7b457e767&searchtype=a
2002	運動	Yamanaka K, Kimura T, Miyazaki M, Kawashima N, Nozaki D, Nakazawa K, Yano H, Yamamoto Y.	Human cortical activities during Go/NoGo tasks with opposite motor control paradigms.	Exp Brain Res. 2002 Feb;142(3):301-7. Epub 2001 Nov 29.	http://www.ncbi.nlm.nih.gov/pubmed/11819037